

Keyword Driven Framework In Uft With Complete Source Code

Keyword Driven Framework in UFT with Complete Source Code

Automating tests is crucial for efficient software development, and UFT (Unified Functional Testing) offers robust capabilities for this. A particularly powerful approach is using a **keyword-driven framework in UFT**, which significantly improves test maintainability, reusability, and collaboration. This article dives deep into building such a framework, providing complete source code examples and exploring its advantages. We will also cover topics like **UFT test automation**, **data-driven testing in UFT**, and the overall implementation of a **keyword driven test framework**.

Understanding the Keyword Driven Framework in UFT

A keyword-driven framework, also known as a table-driven framework or action word framework, separates test script logic from test data. Test steps are represented by keywords, which are then mapped to actions within UFT. This decoupling allows business users, with limited coding experience, to design tests by selecting keywords and inputting data, while developers focus on creating robust, reusable functions. This approach dramatically reduces the time and effort needed for test creation and maintenance. For example, instead of writing complex VBScript code for each login attempt, a keyword like "Login" would execute the necessary actions.

Benefits of a Keyword Driven Framework in UFT

Adopting a keyword-driven testing approach in UFT offers several significant advantages:

- **Increased Reusability:** Keywords represent reusable components, significantly reducing redundant code. A single "ClickButton" keyword, for instance, can be used across multiple tests and applications.
- **Enhanced Maintainability:** Changes to the application under test require modifications only in the keyword's implementation, not across multiple test scripts.
- **Improved Collaboration:** Business analysts and testers can design tests using keywords without deep programming knowledge, fostering better collaboration between development and testing teams.
- **Reduced Development Time:** The reusable nature of keywords significantly accelerates test development.
- **Easier Test Data Management:** Test data is separated from the script logic, making it easier to manage and update. This naturally integrates with **data-driven testing in UFT**, enhancing the framework's flexibility.

Implementing a Keyword Driven Framework in UFT: Step-by-Step Guide

Let's illustrate the implementation with a simple login scenario. We will utilize Excel sheets to store our test data and keywords.

1. Keyword Repository (Excel Sheet):

Create an Excel sheet with columns for "Keyword," "Action," "Object," and "Value."

Keyword	Action	Object	Value
OpenBrowser	OpenBrowser	Browser	Chrome
Navigate	Navigate	URL	https://www.google.com
EnterText	Type	UsernameTextbox	myusername
EnterText	Type	PasswordTextbox	mypassword
ClickButton	Click	LoginButton	
CloseBrowser	CloseBrowser	Browser	

2. UFT Test Script:

```
````vbscript

Option Explicit

Function RunKeyword(Keyword, Action, Object, Value)

On Error Resume Next

Dim objObject

Set objObject = Description.Create()

objObject("name").Value = Object

Select Case Keyword

Case "OpenBrowser"

Browser("title:=.*").Open Value

Case "Navigate"

Browser("title:=.*").Navigate Value

Case "EnterText"

objObject.Type Value

Case "ClickButton"

objObject.Click

Case "CloseBrowser"

Browser("title:=.*").Close

Case Else

MsgBox "Keyword not found: " & Keyword

End Select

On Error GoTo 0

End Function

Sub Main

Dim objExcel, objWorksheet, i, LastRow

Set objExcel = CreateObject("Excel.Application")

objExcel.Visible = True

Set objWorksheet = objExcel.Workbooks.Open("C:\Keywords.xls").Worksheets(1) 'Path to your Excel file

LastRow = objWorksheet.Cells(Rows.Count, 1).End(xlUp).Row

For i = 2 To LastRow 'Start from row 2 to skip header row

RunKeyword objWorksheet.Cells(i, 1).Value, objWorksheet.Cells(i, 2).Value, objWorksheet.Cells(i, 3).Value,
objWorksheet.Cells(i, 4).Value

Next

objExcel.Quit

Set objExcel = Nothing

End Sub

````
```

This script reads the keyword data from the Excel sheet and executes the corresponding actions in UFT. Remember to replace `C:\Keywords.xls` with the actual path to your Excel file. This basic example demonstrates the fundamental principles. A more robust implementation would include error handling, logging,

and more sophisticated object identification techniques. Furthermore, the usage of external libraries or customized functions can significantly enhance the capabilities of your **keyword driven test framework**.

Extending the Keyword Driven Framework: Advanced Techniques

This simple framework can be extended considerably. Consider adding features like:

- **Parameterization:** Pass dynamic values to keywords, allowing for greater flexibility in test execution.
- **Reporting:** Integrate with reporting tools to generate detailed test results.
- **Modular Design:** Break down complex keywords into smaller, more manageable sub-keywords.
- **Object Repository:** Utilize UFT's object repository for better object identification and maintenance.
- **Data-Driven Testing Integration:** Seamlessly integrate data from external sources like databases or CSV files.

Conclusion

Implementing a keyword-driven framework in UFT offers a significant upgrade in your test automation strategy. By separating test logic from test data, you achieve better maintainability, reusability, and collaboration. While the initial setup requires planning, the long-term benefits, including reduced development time and increased efficiency, are substantial. The provided code serves as a foundation; further development and customization will tailor it to your specific needs and testing environment. Remember that robust error handling and comprehensive reporting are essential for a production-ready keyword-driven framework. Utilizing this approach effectively leverages the strengths of UFT for robust and efficient test automation.

FAQ

Q1: What are the limitations of a keyword-driven framework?

A1: While keyword-driven frameworks offer many advantages, they also have limitations. Complex test scenarios might require intricate keyword combinations, increasing the complexity of the keyword repository. Also, debugging can be more challenging compared to script-based approaches as you're working at a higher level of abstraction. Furthermore, initial setup and maintenance of the keyword repository can be time-consuming.

Q2: How does a keyword-driven framework differ from a data-driven framework?

A2: Keyword-driven frameworks separate test logic (keywords) from test data, while data-driven frameworks primarily focus on separating test data from test scripts. A keyword-driven framework uses keywords to represent actions, while a data-driven framework uses data sets to drive the test execution. Often, a hybrid approach is used, combining the strengths of both.

Q3: Can I use external data sources with my keyword-driven framework?

A3: Absolutely! The power of a keyword-driven framework shines when combined with external data sources. You can easily read test data from Excel files, databases (like SQL Server or Oracle), CSV files, or even APIs. This allows for a more efficient and flexible testing process.

Q4: How do I handle error conditions within my keywords?

A4: Robust error handling is crucial. Incorporate error-checking mechanisms within each keyword function. Use ``On Error Resume Next`` and ``On Error GoTo 0`` statements in VBScript to gracefully handle exceptions. Log error messages for detailed debugging and reporting.

Q5: What are some best practices for designing keywords?

A5: Keywords should be concise, descriptive, and easily understandable. Strive for reusability, making them as generic as possible. Avoid overly complex keywords; break down complex actions into smaller, more manageable units. Maintain a consistent naming convention.

Q6: How can I integrate my keyword-driven framework with a CI/CD pipeline?

A6: Integrate your UFT tests into your CI/CD pipeline using tools like Jenkins or Azure DevOps. This allows for automated test execution as part of the build process, providing continuous feedback and improving the development cycle.

Q7: What are some alternatives to a keyword-driven framework in UFT?

A7: Other approaches include data-driven frameworks, modular frameworks, and hybrid frameworks combining aspects of various approaches. The best choice depends on the project's complexity and specific needs.

Q8: How can I improve the object identification within my keyword-driven framework?

A8: Employ a robust object repository and explore different object identification techniques, such as using descriptive programming, regular expressions, and smart identification. Consider using image-based recognition

for scenarios with challenging object identification.

Keyword Driven Framework in UFT with Complete Source Code: Streamlining Your Test Automation

Automating validation procedures is crucial in today's rapid software development lifecycle. Amongst the plethora of automation frameworks at hand, the Keyword Driven Framework (KDF) stands out for its adaptability and longevity. This article investigates into the implementation of a KDF in UFT (Unified Functional Testing), providing a complete source code example and emphasizing its benefits .

The core notion behind a KDF entails differentiating test logic from test details. Test steps are portrayed as keywords, each associating to a precise function within the application under test (AUT). Such keywords are maintained in separate data sources like spreadsheets , allowing automation specialists to readily change test cases without modifying the underlying code. This encourages reusability and considerably lessens preservation exertion .

Think of it like a instruction manual : the keywords are like the ingredients , and the data sheet is the instruction manual itself. You can readily replace components (data) without altering the complete guideline (script).

Implementing a Keyword Driven Framework in UFT:

The following sections detail the execution of a KDF utilizing UFT. We will hone in on a simplified example, but the concepts can be expanded to process more elaborate situations .

1. Keyword Definition:

We begin by specifying our keywords. These keywords will represent common actions performed during testing, such as logon , travel to a particular page, enter data into entries, and check outputs. Each keyword will be associated to a corresponding UFT function .

2. Data Sheet:

Next, we generate an outside data sheet (e.g., an Excel spreadsheet) to store test data. That sheet will comprise columns for each keyword and the associated data needed for that keyword. For example, for the "login" keyword, we might have columns for "username" and "password".

3. UFT Script:

Our UFT program will then access the data from the separate data sheet and perform the corresponding UFT functions dependent on the keywords found in the data.

Complete Source Code Example:

(Note: This is a simplified example. A real-world implementation would be significantly much extensive .)

```
`` `vbscript

' UFT Script

Option Explicit

Sub Main()

Dim objExcel, objWorksheet, strKeyword, strData

Dim iRow, iCol, lastRow

' Create Excel object

Set objExcel = CreateObject("Excel.Application")

Set objWorksheet = objExcel.Workbooks.Open("C:\testData.xls").Worksheets("Sheet1") 'Change path

' Get last row

lastRow = objWorksheet.Cells(Rows.Count, 1).End(xlUp).Row

' Loop through each row in the Excel sheet

For iRow = 2 To lastRow 'Start from row 2 to skip header

strKeyword = objWorksheet.Cells(iRow, 1).Value

Select Case strKeyword
```

```
Case "Login"

Call Login(objWorksheet.Cells(iRow, 2).Value, objWorksheet.Cells(iRow, 3).Value)

Case "NavigateToPage"

Call NavigateToPage(objWorksheet.Cells(iRow, 2).Value)

Case "EnterData"

Call EnterData(objWorksheet.Cells(iRow, 2).Value, objWorksheet.Cells(iRow, 3).Value)

Case "VerifyResult"

Call VerifyResult(objWorksheet.Cells(iRow, 2).Value)

Case Else

Reporter.ReportEvent micFail, "Keyword not found:", strKeyword

End Select

Next iRow

' Clean up

objWorksheet.Close

objExcel.Quit

Set objWorksheet = Nothing

Set objExcel = Nothing

End Sub

' Function to perform login

Sub Login(strUsername, strPassword)

' UFT code to perform login using strUsername and strPassword

' ...your login code here...

Reporter.ReportEvent micPass, "Login successful", "User: " & strUsername

End Sub

' ...other functions for NavigateToPage, EnterData, VerifyResult...

...


```

testData.xls (Example):

| Keyword | Data1 | Data2 |
|----------------|-----------------|-------|
| ----- | ----- | ----- |
| Login | user1 | pass1 |
| NavigateToPage | /homePage | |
| EnterData | txtFirstName | John |
| VerifyResult | Success Message | |

Advantages of Keyword Driven Framework:

- Improved repeatability of test modules.
- Streamlined test preservation.
- Increased teamwork between testers and project analysts .
- Minimized test development time.
- Better test coverage .

Conclusion:

The Keyword Driven Framework provides a robust and productive approach to test automation . By separating test rationale from test data, it considerably enhances maintainability and reduces maintenance overhead . The demonstration source code presents a fundamental structure that can be expanded and customized to suit different QA needs.

Frequently Asked Questions (FAQs):

Q1: What are the limitations of a Keyword Driven Framework?

A1: While powerful , KDFs can turn intricate to manage for extremely large and intricate projects. The starting setup can also necessitate considerable work.

Q2: Can I integrate a Keyword Driven Framework with other testing tools?

A2: Yes, KDFs are not restricted to UFT. The underlying principles can be applied via other validation tools and idioms.

Q3: How do I manage errors inside a Keyword Driven Framework?

A3: Robust error handling is essential . You can execute exception-handling blocks inside your UFT functions to capture and manage errors gracefully .

Q4: What are some best practices for designing a Keyword Driven Framework?

A4: Follow concise naming conventions for keywords. Keep keywords small and targeted. Adequately record your keywords and their role. Use a source control system to track changes to your framework .

https://www.buymylakehome.com/balance/dh/D715217H85260916/linear_programming_questions_and_answers.pdf

https://www.buymylakehome.com/separate/115448/538I61I/mitsubishi_tv-repair_manuals.pdf

https://www.buymylakehome.com/haracterise/160926/99169Q481T/2003-yamaha-f15_hp-outboard-service_repair_manual.pdf

https://www.buymylakehome.com/compose/zm/MZ72305441260916/los_delitos_del_futuro_todo_esta_conectado-todos_somos_vulnerables_aquac_podemos-hacer-al_respecto_spanish_edition.pdf

https://www.buymylakehome.com/haracterise/160926/34L63173S6/aiag_measurement-system_analysis_manual.pdf

https://www.buymylakehome.com/stretch/115448/8987P0R005/lesson-79_how-sweet_it_is_comparing_amounts.pdf

https://www.buymylakehome.com/control/49268ZW/115448160926/natural-home_remedies-the-best-no_prescription_needed_guide-to_using_natural_remedies_for_common_ailments-natural_home_remedies_natural_remedies-natural-cures-natures_cures-1.pdf

https://www.buymylakehome.com/concede/50532BC/115448160926/textbook-of_assisted-reproductive-techniques_fourth_edition-two_volume_set.pdf

https://www.buymylakehome.com/participate/tz/Z54103T/ford_explorer_v8_manual_transmission.pdf

https://www.buymylakehome.com/haracterise/115448/5828UB8932/nc_6th_grade_eog-released-science_test.pdf